



**Commercial Energy Specialists, Inc.**

860 Jupiter Park Drive, Suite #2

Jupiter, FL 33458

Office: 561 744-1557, Toll Free: 800 940-1557, FAX: 866 237-2500

E-Mail: info@ceswaterquality.com

Web: www.ceswaterquality.com

Use this form to calculate chemical quantities by entering Swimming Pool Gallons in the Gallonage box below.

**Gallonage**

**Treatment and Water Balance Chemicals**

Dosage (lbs)

Chlorine Increase 1 PPM using 10% Sodium Hypochlorite liquid	0.0
Chlorine Increase 1 PPM using 65% Calcium Hypochlorite granular or Pulsar Shock	0.0
<b>Calcium Hardness 10 PPM increase using Calcium Carbonate flakes</b>	0
<b>Total Alkalinity 10 PPM increase using Sodium Bicarbonate powder</b>	0
<b>Total Alkalinity 10 PPM decrease with 20 baume muriatic acid (in gallons)</b>	0.0
Remove 1PPM of chlorine using CES DECHLOR granular	0.0
Shock with Chlorine Companion™ non-chlorine shock (initial dose)	0.0
Shock with Chlorine Companion™ non-chlorine shock (maintenance dose)	0.0
Chlorine Demand Shock using CES Tru-Shock™ method with this quantity of Chlorine Companion	0.0
Tru-Shock™ method also requires addition of this quantity of Pulsar Super Shock	0.0
Stabilizer 10 PPM increase using Pulsar Sunscreen Powder	0.0

**Specialty Chemical**

Dosage-(oz) Quarts

**Algae**

Quash Prevention dose	0	0.0
Quash Visible Algae	0	0.0
Quash Black Algae dose	0	0.0
Quash Maintenance Dose	0	0.0
Poly Premium 60 Initial dose	0	0.0
Poly Premium 60 Visible algae dose	0	0.0
Poly Premium 60 Maintenance dose	0	0.0
Terminator II - Visible Algae dose (contains Copper)	0	0.0
Terminator II - Maintenance dose (contains Copper)	0	0.0

**Oil, Organics, Scum Line**

IS-3 Enzyme - initial dose - use in combination with weekly feed.	0	0.0
IS-3 Enzyme - Weekly Maintenance dose (using constant feeder or manual feed)	0	0.0
PoolPerfect Conc - Initial	0	0.0
PoolPerfect Conc - Maint	0	0.0

**Phosphate Algae Treatment**

PhosFree - Phosphate level < 300	0	0.0
PhosFree - Phosphate level 300-600	0	0.0
PhosFree - Phosphate level 600-900	0	0.0

**Metal Prevention**

SequestAll - Initial dose	0	0.0
SequestAll - CH>200, Initial dose	0	0.0
SequestAll -Iron, Copper, Magnesium - Initial dose	0	0.0

**Clarifiers, Polymers**

UltraBlue - Initial Dose	0	0.0
UltraBlue - Maintenance Dose	0	0.0
Clear & Perfect - (6-in-1 Clarifier) Initial Dose, spray or pour	0	0.0
Clear & Perfect - (6-in-1 Clarifier) Maintenance Dose, spray or pour	0	0.0