



TECHNICAL INFORMATION

SECTION 1 - IDENTIFICATION OF PREPARATION

PRODUCT	Palintest Coppercol No1 Tablets	PRODUCT CODE:	186
APPLICATION	For water testing applications only		

SECTION 2 - COMPOSITION/INGREDIENTS INFORMATION

COMPOSITION	Tablets containing less than 2% biquinoline dicarboxylic acid dipotassium salt and less than 10% sodium metabisulphite in formulation with fillers, stabilisers and tableting aids.
--------------------	---

SECTION 3 - HAZARD IDENTIFICATION

Minimal hazard during normal handling and use as instructed.

SECTION 4 - FIRST AID MEASURES

PRIMARY ROUTES OF ENTRY	SKIN ABSORPTION : INHALATION :	INGESTION : NOT HAZARDOUS : X
Eye/Skin Contact:	Wash with plenty of water.	
Inhalation:	N/A	
Ingestion:	Give plenty of water to drink. Seek medical attention.	

SECTION 5 - FIRE-FIGHTING MEASURES

FIRE EXTINGUISHER:
Water and all extinguishers may be used. Tablets are non-combustible.

SPECIAL FIRE FIGHTING PRECAUTIONS:
None.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:
Sweep up and wash with plenty of water.

SECTION 7 - HANDLING AND STORAGE PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
Use only as instructed. Avoid handling tablets whenever possible. Store in original container. Keep dry. Keep away from children.

Product Code:	186
----------------------	-----

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

RESPIRATORY PROTECTION : N/A		
PROTECTIVE GLOVES	: N/A	EYE PROTECTION : N/A

SECTION 9 - PHYSICAL/CHEMICAL PROPERTIES

APPEARANCE AND ODOUR	Pale yellow tablets with no odour
WATER REACTIVITY	Non-reactive
SOLUBILITY IN WATER	Complete to give a slightly acidic solution
MELTING POINT	Unknown

SECTION 10 - STABILITY AND REACTIVITY

STABILITY : Stable	CONDITIONS TO AVOID : None
---------------------------	-----------------------------------

SECTION 11 - TOXICOLOGICAL INFORMATION

Of Low toxicity. Minimal hazard during normal handling and use as instructed.

SECTION 12 - ECOLOGICAL INFORMATION

N/A

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL OF USED TEST SOLUTION: To be performed in compliance with local practice and regulations.
--

SECTION 14 - TRANSPORT INFORMATION

Not classified under transport regulations
--

SECTION 15 - REGULATORY INFORMATION

N/A

SECTION 16 - OTHER INFORMATION

National Poisons Unit, New Cross Hospital, London Tel : 0207 635 9191
--

12 March 2002

The above information is believed to be correct but does not claim to be all-inclusive and should be used only as a guide.